



f 🖸 🗸 🕨

WWW.POWERBUILTTOOLS.CO.NZ



Hydraulic Bottle Jacks

- Complies with Australia/New Zealand standards AS/NZS 2693:2007
- Heavy duty oversized steel bases for strength and durability
- Fully welded base prevents leaking
- Forged steel saddle and cast handle socket
- Extension screw for extra lifting range (excluding WTB20000)

CODE	CAPACITY	SUPPORT RANGE (WITH SCREW EXTENSION)	PRICE PER UNIT INC GST	
WTB2000	2.2 Ton / 2,000kg	190mm to 368mm	\$55.00	
WTB4000	4.4 Ton / 4,000kg	210mm to 405mm	\$75.00	
WTB10000	11 Ton / 10,000kg	230mm to 460mm	\$115.00	
WTB20000	22 Ton / 20,000kg	260mm to 430mm No Screw Ext.	\$265.00	



WTB10000 WTB20000

Axle Stands

- · Complies with Australia/New Zealand standards AS/NZS 2538:2004
- Heavy duty stamped steel frames with fully welded seams for strength Large foot base design for maximum
- load stability Ductile iron ratchet type bar
- for easy positioning Locking 10 Height settings
- Supplied per pair
- Rating is per stand

CODE	CAPACITY	SUPPORT RANGE	PRICE PER SET INC GST	
WTA1500	1.6 Ton / 1,500kg	278mm to 428mm	\$79.00	
WTA4000	4.4 Ton / 4,000kg	395mm to 613mm	\$185.00	
WTA8000	8.8 Ton / 8,000kg	468mm to 718mm	\$359.00	

3 Ton / 2,700kg High Lift 4X4 Jack

- Ideal for use as an all-purpose hoist or winch
- For lifting trucks, tractors & farm equipment

- Great for off-roading emergencies
- Lifts, pulls & pushes
- Steel shaft
- Lifting range: 130mm to 1010mm
- Overall height: 1215mm
- Tongue length: 100mm 647587

0





Hydraulic Bottle Jacks, Shorty Series

- 12000kg Complies with Australia/New Zealand standards AS/NZS 2693:2007
- 20000kg Complies with ASME safety standards
- Heavy duty oversized steel bases for strength and durability
- Forged steel saddle and cast handle socket
- Extension screw for extra lifting range

CODE	CAPACITY	SUPPORT RANGE (WITH SCREW EXTENSION)	PRICE PER UNIT INC GST	PowenBuilt
WTBS12000	13.2 Ton / 12,000kg	190mm to 370mm	\$115.00	2017
647504	22 Ton / 18,000kg	200mm to 385mm	\$139.00	SECTIVE BOTTLE JRCK

20 Ton / 18,000kg Air Hydraulic Bottle Jacks

- Great for lifting farm vehicles, machinery, construction equipment
- A heavy-duty air motor provides maximum power, integrated bypass and overload valves
- Fast and efficient air pump reduces lifting time, plus built-in relief mechanism to prevents the jack from being used beyond its maximum capacity
- Unique design allows for manual operation when air is not available
- Safety spring ram retention
- Screw extension for extra height
- Air pressure: 0.75 0.85mpa/108 123psi

CODE	BODY	SUPPORT RANGE (WITH SCREW EXTENSION)	RAM TRAVEL	SCREW EXTENSION TRAVEL	PRICE PER UNIT INC GST
WTBA20000	Full Body	270mm to 515mm	165mm	80mm	\$369.00
JGS0871	Shorty	178mm to 328mm	87mm	63mm	\$399.00




2.2 Ton / 2,000kg Low Profile Trolley Jack

- Low profile design, lightweight and portable
- Heavy duty swiveling cast iron saddle
- 360° Rotating handle for easy operation
- Lifting range: 89mm to 359mm
- Packaged with convenient blow

molded storage carry case











OFFICIAL TOOL SPONSOR TO



f 💿 🗸 🕟

1.5 Ton / 1,360kg Big Wheel Triple Lift Garage Jack

Powebuilt's Triple Lift Jack offers stability well beyond the average floor jack. With a wide wheelbase it lets you lift cars, trucks, motorcycles, ATVs, off-road vehicles and more.

- Lifting Range: 180mm 489mm, (Up to 660mm with Extension Saddle)
- The Adapter included increases the overall maximum lift height by 195mm.
- Removable saddle and padded rails for versatile function between use on car, motorcycle or ATV
- Built-in tie-down loops, to secure load
- · Locking safety bar holds load securely
- · Large wheels make this jack easy to maneuver

450Kg Motorcycle Stand, Scissor Lift

Solid and compact motorbike lift for hobby and workshop use. Ideal for comfortable and safe use under frame, engine or swing arms, for repair and maintenance of motorcycles, sport bikes, custom bikes, and many other models with double cradle.

- · With four built-in tie-down loops, to easily secure bikes in place
- Four 50mm Caster wheels make it easy to maneuver the platform into place
- Two adjustable height stability feet for added safety
- Platform surface padded borders protect the bike from sliding/scratching
- Solid and durable steel construction with black powder coat finish
- Lifting Range 107mm to 355mm
- Platform dimensions: 228mm x 387mm



3.5 Ton / 3,175kg Low Profile Professional Service Jack

Ideal for lifting anything from a compact car, sports car to a diesel pickup truck. If there is room for only one jack in your garage, this is the jack. The Caterpillar 3.5 Ton low profile service jack is designed to take on the heaviest of jobs and look good doing it.

679

Lifting Range: 95mm to 533mm

Dual piston fast lift pump lifts the arm to the vehicle contact point in just 7 pumps (no load) All robotic welded steel construction, built to withstand the daily grind of the commercial garage Low profile frame and curved front rollers for a smoother roll on hard surfaces

240332

2 Ton 3-in-1 Garage Jack

Lifting Range: 140mm - 445mm Suitable for cars, trucks, motorcycles, ATVs Also suitable for removing/replacing transmissions & differentials Wide base & wheels improves stability for lift load safely

980223

1 LIFTS CARS/ TRUCKS 2 LIFTS MOTOR CYCLES

Your local serious tool stockist:

All Powerbuilt Lift Equipment is made to American Standards therefore 'Tons' is an American Ton (2000lb). For example: 1 Ton

(2000lb) = 907kg , 3 Ton (6000lb) = 2721kg

Every effort has been made to ensure all advertised items are correct and available in reasonable quantities prior to this publication. Prices are current at September 2023 and available through to February 2024 or while stocks last. No rain checks are available. Not all items stocked in all stores, these can be ordered in upon request.



\$599



PAT

6

3 Ton / 2,700kg Big Wheel Off-Road Hybrid Jack

The Cat Big Wheel Off Road Jack is perfect for all types of trucks, Jeeps, SUVs, and Off-Road Vehicles. The Hybrid Steel/Aluminium construction keeps the overall weight of the jack down so it is easier to handle, position & store.

- The extra large wheels make this jack easy to maneuver on any surface whether in the sand or gravel, along with a bottom skid plate to keep the jack stable and level on soft surfaces
 With the included adapter fitted at the saddle, you will increase
- the overall maximum lift height by 195mm • Lifting Range: 150mm to 545mm,
- (Up to 740mm with Adapter Extension) 980519



272KG Hydraulic Mower Jack

- Lifting Range: Up to 890mm (Side Lift)
- Effortless foot pedal hydraulic lifting
- Locking safety bar
- Rubber pads for mower protection Replaces unsafe mower jack lifts

980220

