# UC 600





- 180 Amp output
- MIG / Stick / TIG
- Gas/Gasless
- · Spool gun ready
- · DC Lift TIG with downslope
- · Seemless heat and wire speed controll
- · Excelent arc stability









✓ TIG AC/DC Pulse

✓ TIG DC Pulse



· 200 amp output

- HF & Lift TIG Start
- Fully adjustable Weld control with Adjustable Pulse and AC Blanace
- · Complete with Variable amp torch control
- · MMA with adjust Hotstart, Arc force
- · 15amp plug




**VALUED AT S399** 



ST LIX

IN SEX



- 140A output, 10A plug DC MMA and DC TIG welding
- Digital LED display
- DC TIG lift arc start
- Excellent arc stability Lightweight & portable
- Generator safe
- Stepless amperage control
- 35/50 Dinse output connectors
- IGBT inverter technology









**BUNDLE CONTENTS** Welding Helme Welding Gloves





- 180A output, 15A plug DC MMA and DC TIG welding
- Digital LED display DC TIG lift arc start
- Excellent arc stability Lightweight & portable
- Generator safe
- Stepless amperage control
- 35/50 Dinse output connectors



B055

BOSSWED X seru

✓ Mild Steel ✓ Stainless Steel ✓ Copper

✓ Aluminium

The Bossweld P40 is the latest in IGBT inverter cutting technology. This lightweight plasma cutter enables the user to complete



• 40 Amp output

- · 4m PT40 central connect torch
- · Lightweight and portable
- · Pilot arc start ideal for painted and rusted surfaces
- 18mm severance and 15mm clean cut
- · Built in air regulator and water trap
- · IGBT inverter technology
- 15 Amp plug



# KYGEN/ACETYLENE <u>CUTTING AND BRAZING KIT</u>

Everything you need for general purpose heating, brazing, cutting and welding applications with Oxygen and Acetylene Comes packed together in a carry case toolbox

**VALID JUNE TO OCTOBER 2025** 



- 200 Amp output, 10 Amp plug
- 4-in-1 Multiprocess Welder
- TIG weld aluminium 5" (127mm) colour LCD screen Spool Gun Ready
- Suits D100/D200 spools
- Weighs 19kg
- Generator Friendly

- 2T/4T Trigger LatchingWeld Parameter Storage
  - ✓ MIG Synergic ✓ Stick (MMA)
  - ✓ MIG Manual
- ✓ TIG AC/DC Pulse



Single phase 240V

MIG /Stick /TIG welder

Suitable for industrial

4 Roll wire drive system

• Gas /gasless operation

• 2T / 4T trigger latching

• Suits 5kg & 15kg spools

· Excellent arc stability

Spool gun ready

• 250 Amp output



- 350 Amp output
- MIG /Stick /TIG welder
- Suitable for industrial
- 4 Roll wire drive system
- · Gas /gasless operation
- 2T / 4T trigger latching
- · Excellent arc stability
- Suits 5kg & 15kg spools
- Spool gun ready







# **ELECTRONIC WELDING HELMET TITANIUM SERIES**



- True colour professional screen and filter
- Extra large viewing area 98mm x 87mm
- Variable from shades DIN 5-8 / 9-13
- Professional helmet with 4 sensors Grinding mode
- WELDSAFE



CODE	DESCRIPTION
WST1602	Carbon Fibre
WST1818	Terminator
WST1822	Silver Robot
WST1923	Dark Knight

# **ELECTRONIC WELDING HELMET PLATINUM SERIES**



- True colour professional screen and filter
- Large viewing area 100mm x 53mm
- Variable from shades DIN 5-8 / 9-13 Professional helmet with 4 sensors
- Grinding mode

# \_OSA



	CODE	DESCRIPTION
١	WSP1821	<b>Dusky Robot</b>
l	WSP1924	Silver Robot
l	WSP1819	Dark Knight
ĺ	WSP1605	Carbon Fibre

# **WELDING GLOVES**



# **WELDERS JACKET LEATHER**

- Heavy duty chrome leather
- Double studs for extra protection
- Several sizes available
- Heavy duty sewing

			1
CODE	SIZE	PRICE	
700001L	Large	<b>\$115.00</b> /ea	
700001XL	X-Large	<b>\$125.00</b> /ea	



# weldpoin

**MIG WIRE** 

<u>5</u>



A5.18 ER 70S-6

- Low hydrogen copper coated, low carbon steel MIG wire for use with CO2 & Argon mixed gases
- Suitable for tube sections, general steel repairs, construction, manufacturing & structural steel
- Precision Layer wound wire High quality with excellent copper coating
- All positions

CODE	DESCRIPTION	PRICE
200001	Mild Steel Mig wire 0.6mm x 0.7Kg	<b>\$11.95</b> /spl
200003	Mild Steel Mig wire 0.8mm x 0.7Kg	<b>\$15.95</b> /spl
200007	Mild Steel Mig wire 0.9mm x 0.7Kg	<b>\$10.95</b> /spl
200002	Mild Steel Mig wire 0.6mm x 5Kg	<b>\$64.95</b> /spl
200004	Mild Steel Mig wire 0.8mm x 5Kg	<b>\$41.95</b> /spl
200005	Mild Steel Mig wire 0.9mm x 5Kg	<b>\$41.95</b> /spl



- Precision Layer wound
- Double Diamond shaved wire

CODE	DESCRIPTION	PRICE	
200192	Aluminium Mig wire x 0.8mm x 0.5Kg	<b>\$32.95</b> /spl	
200193	Aluminium Mig wire x 0.9mm x 0.5Kg	<b>\$32.95</b> /spl	
200194	Aluminium Mig wire x 1.0mm x 0.5Kg	<b>\$32.95</b> /spl	
200200	Aluminium Mig wire x 0.9mm x 2Kg	<b>\$99.95</b> /spl	
200201	Aluminium Mig wire x 1.0mm x 2Kg	<b>\$99.95</b> /spl	
200202	Aluminium Mig wire x 1.2mm x 2Kg	<b>\$89.95</b> /spl	

- Self Shielded Flux Core wire

- General welding and repairs out doors

CODE	DESCRIPTION	PRICE
200342	Gasless Mild steel Mig wire 0.8mm x 0.9Kg	<b>\$24.95</b> /spl
200344	Gasless Mild steel Mig wire 0.9mm x 0.9Kg	<b>\$24.95</b> /spl
200343	Gasless Mild steel Mig wire 0.8mm x 4.5Kg	<b>\$94.95</b> /spl
200345	Gasless Mild steel Mig wire 0.9mm x 4.5Kg	<b>\$94.95</b> /spl



- Suitable for Single pass applications Smooth Arc action DC

- No Shielding gas required Excellent on Galvanised steel
- Farm repairs and maintenance

CODE	DESCRIPTION	PRICE
200342	Gasless Mild steel Mig wire 0.8mm x 0.9Kg	<b>\$24.95</b> /spl
200344	Gasless Mild steel Mig wire 0.9mm x 0.9Kg	<b>\$24.95</b> /spl
200343	Gasless Mild steel Mig wire 0.8mm x 4.5Kg	<b>\$94.95</b> /spl
200345	Gasless Mild steel Mig wire 0.9mm x 4.5Kg	<b>\$94.95</b> /spl

PRICE
\$10.95 /pkt
<b>\$13.95</b> /pkt
<b>\$49.95</b> /pkt
\$15.95 /pkt
\$51.95 /pkt

309



# **BOSSWELD TC16** TWIN COAT LOW HYDROGEN ELECTRODE

\$55.00 /pkt

CODE	DESCRIPTION	PRICE
110400	Bossweld Electrode TC16 - 2.6mm 2kg	<b>\$34.95</b> /pkt
110410	Bossweld Electrode TC16 - 3.2mm 5kg	<b>\$64.95</b> /pkt
110430	Bossweld Electrode TC16 - 2.6mm 25pk	<b>\$21.95</b> /pkt
110440	Bossweld Electrode TC16 - 3.2mm 25pk	<b>\$20.95</b> /pkt
110450	Bossweld Electrode TC16 - 3.2mm 6pk	<b>\$12.95</b> /pkt

Operates on a lower open circuit voltage Excellent striking and re-striking Tolerant to rust or paint on the work surface



# TIG WELDING ROD **MILD STEEL S6 ER70S-6**

Copper coated for TIG and OXY Ideal for repairs with rusty or oily plates



2.4mm x 1M - 5KG

# **ALUMINIUM 5356** Premium 5%Mn Double

Shaved Tig wire

Very low oxide levels for superior welds

CODE	DESCRIPTION	PRICE
300008B	1.6mm x 500mm - 20pk	<b>\$16.95</b> /pkt
300009B	2.4mm x 500mm - 20pk	<b>\$22.95</b> /pkt
300009H	2.4mm x 1M - Handy Pack/0.45kg	<b>\$39.95</b> /pkt
300009N	2.4mm x 1M - 5kg	<b>\$129.95</b> /pkt
300010H	3.2mm x 1M - Handy Pack/0.45kg	<b>\$39.95</b> /pkt
300010N	3.2mm x 1M - 5kg	<b>\$159.95</b> /pkt

## **MULTIPACK TUNGSTEN ELECTRODE**

Bossweld Multi Pack Tungsten Electrodes contains:

- 2 x 1.6mm Thoriated, 2 x 2.4mm Thoriated
- 1 x 1.6mm Ceriated, 1 x 2.4mm Ceriated
- 1 x 1.6mm Zirconated,
- 1 x 2.4mm Zirconated
- 1 x 1.6mm Lanthanated,
- 1 x 2.4mm Lanthanated

Mixed tungstens

· Packs of 10

Length 178mm

DESCRIPTION PRICE CODE MULTI-PACK \$49.95 /pkt



# TUNGSTEN ELECTRODE

2% Thoriated Tungsten contains a nominal 2 wt-% or thorium oxide (ThO2) evenly dispersed throughout the entire length. Provides excellent resistance from weld pool contamination, easier arc starting capabilities and a more stable arc.

- Red Tip
- Polished
- Length 178mm Packs of 10

CODE	SIZE	PRICE
900311	1.6mm x 178mm	<b>\$39.95</b> /pkt
900312	2.4mm x 178mm	<b>\$69.95</b> /pkt



# TUNGSTEN ELECTRODE

Good for AC welding, especially under high load current, and retain a balled end when welding for corrosion resistance and less tungsten permeation. Has a more stable arc than pure tungsten. It also resists contamination well in AC welding.



White Tin

Packs of 10

VVIIILE	, lib	· I acks of
CODE	SIZE	PRICE
900320	1.6mm x 178mm	<b>\$39.95</b> /pkt
900321	2.4mm x 178mm	<b>\$94.95</b> /pkt
900322	3 2mm v 178mm	\$104.95 /nkt



# CERIATED TUNGSTEN ELECTRODE

These electrodes perform best in DC welding at low current settings but can be used proficiently in AC or DC processes. Like thorium, it is best used to weld carbon and stainless steels, nickel alloys and titanium.

- Grey Tip
- Length 178mm
- Polished Packs of 10






# TIG WELDING ROD

# STAINLESS STEEL 316L

- A5.9 ER316L
- High quality TIG rod
- Suitable for a range of stainless steel
- Excellent resistance to general corrosion
- Very low oxide levels for superior welds





# weldoor



## MAP-PRO

# **WEED BURNER**

- Variable flame control knob
- Long reach steel burner (870mm) with piezo ignition
- Fits a gas cartridge with a BOM fitting
- Kills weeds without poisons



# MAP-PRO **BRAZING & HEATING TORCH**

- Cast aluminium body Used with MAP gas

# MAP-PRO ADJUSTABLE BRAZING & HEATING TORCH Cast aluminium body

- Adjustable flame control
- High intensity jet swirl flame

Used with MAP gas







# **HEATING TORCH KIT**

- Air/LPG operation requires LPG gas only
- Robust construction
- for industrial work For light to medium heating applications that do not require the ultra-high temperatures of an oxy/fuel flame



Ideal for preheating before welding, drying, thawing, heating bitument/ashphelt, curing concrete, vegetation & weed burn-off, water-proofing, etc.

weeds in and around driveways and gardens Ideal for other uses such as de-icing pavements, de-freezing brass water pipes and lighting BBQ grills

# **HEATING TORCH KIT**

- Burn the cell of grass/ weeds to stop growing
- Perfect for garden and driveway weed control Heating torch is designed to supply a high temp flame for heating and brazing



Ideal for paint stripping, heat shrinking materials, softening/bending plastic tube & light metal tubes, soft soldering, weed burning/weed control, pre-heating & stress relieving.

# BRAZING / HEATING KIT

- Lightweight carry case Includes oxygen gas regulator and
- fuel gas regulator with gauges and built in safety device
- For use with disposable gas cylinders; oxygen gas cylinder with M10 x 1mm connection and a Mapp cylinder ith CGA600 connection



Ideal for all your professional welding and brazing applications such as air conditioning, plumbing and refrigeration.

- **LPG / PROPANE** Burner Sizes 14.5 / 16 / 25mm
- Adjustable flame control
- Suitable for heating, brazing, heat shrinking, soldering
- Bom / Primus adaptor





P/N: 486021

# GAS WELDING FLIP-UP GOGGLES

· Shade 5

Lightweight goggles used for oxygen/ acetylene and oxygen/LPG cutting and brazing. Can also be used during plasma cutting process



# 2 LITRE DISPOSABLE **GAS BOTTLE**

- M10 x 1mm fitting
- Contains approximately 35 mins of gas at a flow rate of 5L/min
- Ideal alternative for the occasional welder & home handyman

CODE	TYPE
600032	ARGON
600033	ARGON/CO <sup>2</sup>
600034	CO <sup>2</sup>











# **WELDING TABLE**

- Ideal for welding, assembling and repairing Heavy-duty zinc-coated
- 3mm bench top with a grate and slide-out slag collection tray
- Overall dimensions 1100×500×900mm



# **REGULATOR TO SU**

# DISPOSABLE GAS BOTTLE

- Reusable regulator to suit the disposable gas bottles
- Gauge shows flow rate (not pressure)

TRIPLE FLINT Fast, easy ignition For Oxy/ fuel cutting and welding torches Flints can be rotated

Flint is replaceable











- Removable grate allows for effortless cleaning
- Fold a side flat to work with larger materials
- Overall dimensions: 500x400mmx380mm





# **GET IN TOUCH WITH YOUR LOCAL BOSSWELD X-SERIES STOCKIST**

Prices published in Issue #40 of Weldpoint are in NZD, Include GST and are valid 1 June to 31 October 2025, or available while stocks last. No rain checks are available. Products subject to availability and may vary in stores, these can be ordered in upon request. All images displayed on the Weldpoint catalogue are indicative and are used for illustrative purposes. Prices and specifications may change without notice.